



# Dependable. Versatile. Ultracompact.

Dell Pro Micro QCM1250

Dell Pro Micro Plus QBM1250

Featuring AI PC options, powered by  
Intel® Core™ Ultra processors (Series 2)

### Introducing AI PCs from the World's leading commercial AI PC brand<sup>1</sup>

Unlock new levels of performance with AI PC options, powered by Intel® Core™ Ultra desktop processors (Series 2). Equipped with a dedicated neural processor unit (NPU) and delivering up to 13 TOPS, these systems are designed to tackle AI workloads, helping businesses stay ahead of the game

Additional CPU options include the latest Intel® Core™ processors (14th Gen), up to i7 (available on Pro Micro)

Intel vPro® options across all configurations to enhance security and manageability

### Intentional material choices

- 50% recycled steel in the chassis<sup>5</sup>
- Up to 45% Post-consumer recycled plastic<sup>6</sup>
- Up to 14% recycled ocean-bound plastic in the fan-housing<sup>6</sup>
- At least 97% recycled or renewable packaging<sup>7</sup> and multipack options for reduced packaging waste and lowering emissions<sup>8</sup>

### Meets the latest environmental standards

Certified ENERGY STAR®, carries TCO Generation 10 certification (Pro Micro Plus), and are EPEAT Gold registered with Climate+ designation<sup>9</sup>

### APEX and services

Experience the world's first and most comprehensive as-a-service portfolio with Dell APEX<sup>10</sup>

### Sleek, purposeful design

Re-engineered with an enhanced thermal design and additional chassis venting, these ultracompact PCs deliver up to 8% cooler and up to 32% quieter (Pro Micro) / up to 9% cooler and up to 22% quieter (Pro Micro Plus) operation<sup>2</sup>

### Fuel productivity with a complete Dell ecosystem

Designed and tested with Dell Accessories, Mounts and Stands, and Monitors from the world's #1 monitor company<sup>3</sup>

### High-speed productivity

Dual M.2 Gen 4 SSD and up to 64GB DDR5 RAM with 6400 MT/s speeds

Comprehensive connectivity including USB-C, USB-A, DP and HDMI ports. Optional DP and HDMI ports support up to 8K resolution for stunning visual quality

Expandable with optional modules including Thunderbolt 4.0 (Pro Micro Plus only) and 5GbE Optical Fiber (Peer to Peer)<sup>4</sup>

### Simplify IT

Dell offers the world's most secure and manageable commercial PCs<sup>11</sup>, along with modern lifecycle services and solutions to make IT management a breeze

Streamline PC fleet management with one unified BIOS

2 year PC refresh lifecycle for managed transitions help reduce maintenance and support costs

Manage your PCs over the cloud, in conjunction with Microsoft Intune, via the Dell Management Portal



# Choose the right solution



Feature	Dell Pro Micro Plus (QBM1250)	Dell Pro Micro (QCM1250)
<b>Processor</b>	<b>AI PC:</b> Up to Intel® Core™ Ultra 9 processors (35-Watt/65-Watt)	<b>AI PC:</b> Up to Intel® Core™ Ultra 7 processors (35-Watt)  <b>Additional CPU options:</b> Up to Intel® Core™ i7 processors (35-Watt)
<b>Chassis Size</b>	1.18L chassis size	
<b>Memory</b>	Up to 64GB DDR5 memory	
<b>Storage</b>	2 M.2 slots with up to 2TB SSD for each, optional RAID	2 M.2 slots with up to 1TB SSD for each
<b>Single Cable USB-C Power Delivery Solution</b>	Not available	With the optional Type-C module, power your Pro Micro with up to 100W using a single USB-C cable connected to a compatible Dell USB-C hub monitor.
<b>Native USB</b>	8 USB ports (includes 2 USB-C ports)	6 USB ports (includes 1 USB-C port)
<b>Native Video Ports</b>	3 DisplayPort 1.4a support up to 5K resolution at 60Hz	1 DisplayPort 1.4a supports up to 5K resolution at 60Hz; 1 HDMI 1.4b supports up to 4K resolution
<b>1 Optional module port for expandability</b>	<b>With Intel® Core™ Ultra processors:</b> Thunderbolt 4 with DisplayPort™ 2.1 + USB 3.2 Gen 2 Type-C® / HDMI 2.1, up to 7680 x 4320 @ 60Hz / DisplayPort™ 2.1, up to 7680 x 4320 @ 60Hz / VGA / USB Type-C® with DisplayPort™ Alt Mode / 2 USB 3.2 Gen 2 / PS2 and Serial, Serial Module / 5GbE Optical Fiber (Peer to Peer)** / 5GbE LAN NIC	<b>With Intel® Core™ Ultra processors:</b> HDMI 2.1, up to 7680 x 4320 @ 60Hz / DisplayPort™ 2.1, up to 7680 x 4320 @ 60Hz / VGA / USB Type-C® with DisplayPort™ Alt Mode / 2 USB-A 3.2 Gen 2 / PS2 and Serial / Serial Module / 5GbE Optical Fiber (Peer to Peer)**  <b>With Intel® Core™ processors:</b> HDMI 2.1, Up to 4096 x 2160 @ 60Hz / DisplayPort™ 2.1, up to 5120 x 3200 @ 60Hz / VGA / USB Type-C® with DisplayPort™ Alt Mode / 2 USB-A 3.2 Gen 2 / PS2 and Serial / Serial Module / 5GbE Optical Fiber (Peer to Peer)**
<b>Recycled steel</b>	Contains up to 50% post-industrial recycled steel in the chassis	
<b>Enhanced thermal design</b>	Up to 9% cooler and up to 22% quieter operation*	Up to 8% cooler and 32% quieter operation*
<b>Service Base</b>	3 years	1 year

\* Versus the previous generation. Based on Dell internal testing, January 2025.  
 \*\* Peer-to-peer transmission up to 5Gbps. Network speeds depends on transceiver, cable, switch.



**Not All Technical Specifications Available Per System Configuration.**

Please search [Dell.com/support](https://Dell.com/support) for product owner's manual or contact your Dell Technologies sales expert.

FEATURE		TECHNICAL SPECIFICATION
<b>PRODUCT NAME</b>	<b>Pro Micro Plus</b>	<b>Pro Micro</b>
<b>MODEL IDENTIFIER</b>	QBM1250	QCM1250
<b>CHASSIS COLOR</b>	Dell Standard Black	Dell Standard Black
<b>PROCESSOR OPTIONS<sup>1</sup></b>	<b>AI PC</b> Intel® Core™ Ultra 9 285 vPro® (36 MB cache, 24 cores, 24 threads, 2.5 GHz to 5.6 GHz, 65 W) Intel® Core™ Ultra 9 285T vPro® (36 MB cache, 24 cores, 24 threads, 1.4 GHz to 5.4 GHz, 35 W) Intel® Core™ Ultra 7 265 vPro® (30 MB cache, 20 cores, 20 threads, 2.4 GHz to 5.3 GHz, 65 W) Intel® Core™ Ultra 7 265T vPro® (30 MB cache, 20 cores, 20 threads, 1.5 GHz to 5.3 GHz, 35 W) Intel® Core™ Ultra 5 245 vPro® (24 MB cache, 14 cores, 14 threads, 3.5 GHz to 5.1 GHz, 65 W) Intel® Core™ Ultra 5 245T vPro® (24 MB cache, 14 cores, 14 threads, 2.2 GHz to 5.1 GHz, 35 W) Intel® Core™ Ultra 5 235 vPro® (24 MB cache, 14 cores, 14 threads, 3.4 GHz to 5.0 GHz, 65 W) Intel® Core™ Ultra 5 235T vPro® (24 MB cache, 14 cores, 14 threads, 2.2 GHz to 5.0 GHz, 35 W)	<b>AI PC</b> Intel® Core™ Ultra 7 265T vPro® (30 MB cache, 20 cores, 20 threads, 1.5 GHz to 5.3 GHz, 35 W) Intel® Core™ Ultra 5 245T vPro® (24 MB cache, 14 cores, 14 threads, 2.2 GHz to 5.1 GHz, 35 W) Intel® Core™ Ultra 5 235T vPro® (24 MB cache, 14 cores, 14 threads, 2.2 GHz to 5.0 GHz, 35 W)
<b>CHIPSET</b>	Intel® Q870	<b>Base PC</b> Intel® Core™ i7 14700T vPro® (33 MB cache, 20 cores, 28 threads, 1.3 GHz to 5.0 GHz Turbo, 35 W) Intel® Core™ i5 14600T vPro® (24 MB cache, 14 cores, 20 threads, 1.8 GHz to 5.1 GHz Turbo, 35 W) Intel® Core™ i5 14500T vPro® (24 MB cache, 14 cores, 20 threads, 1.7 GHz to 4.8 GHz Turbo, 35 W) Intel® Core™ i3 14100T (12 MB cache, 4 cores, 8 threads, 2.7 GHz to 4.4 GHz Turbo, 35 W) Intel® Core™ 300T (6 MB cache, 2 cores, 4 threads, up to 3.4 GHz, 35 W)
<b>OPERATING SYSTEM<sup>1</sup></b>	Windows 11 Home Windows 11 Enterprise Windows 11 Pro Windows 11 Pro National Education Ubuntu® Linux® 24.04 LTS, 64-bit	Windows 11 Home Windows 11 Enterprise Windows 11 Pro Windows 11 Pro National Education Ubuntu® Linux® 24.04 LTS, 64-bit
<b>GRAPHICS</b>	<b>Integrated Graphics</b> Intel® Graphics	<b>Integrated Graphics</b> Intel® Graphics for Intel® Core™ Ultra 7 and Ultra 5 processors Intel® UHD Graphics 770 for Intel® Core™ i7 and i5 processors Intel® UHD Graphics 730 for Intel® Core™ i3 processor Intel® UHD Graphics 710 for Intel® Core™ 300T processor
<b>MEMORY<sup>1,2,3</sup></b>	<b>For computers shipped with Intel® Core™ Ultra 5, Ultra 7 and Ultra 9 processors:</b> 8 GB: 1 x 8 GB, DDR5, 5600 MT/s, single-channel 16 GB: 1 x 16 GB, DDR5, 5600 MT/s, single-channel 16 GB: 2 x 8 GB, DDR5, 5600 MT/s, dual-channel 32 GB: 1 x 32 GB, DDR5, 5600 MT/s, single-channel 32 GB: 2 x 16 GB, DDR5, 5600 MT/s, dual-channel 64 GB: 2 x 32 GB, DDR5, 5600 MT/s, dual-channel 8 GB: 1 x 8 GB, DDR5, 6400 MT/s, single-channel 16 GB: 1 x 16 GB, DDR5, 6400 MT/s, single-channel 16 GB: 2 x 8 GB, DDR5, 6400 MT/s, dual-channel 32 GB: 1 x 32 GB, DDR5, 6400 MT/s, single-channel 32 GB: 2 x 16 GB, DDR5, 6400 MT/s, dual-channel 64 GB: 2 x 32 GB, DDR5, 6400 MT/s, dual-channel	<b>For computers shipped with Intel® Core™ 300T, i3 14100T and i5 14500T processors:</b> 8 GB: 1 x 8 GB, DDR5, 4800 MT/s, single-channel 16 GB: 1 x 16 GB, DDR5, 4800 MT/s, single-channel 16 GB: 2 x 8 GB, DDR5, 4800 MT/s, dual-channel 32 GB: 1 x 32 GB, DDR5, 4800 MT/s, single-channel 32 GB: 2 x 16 GB, DDR5, 4800 MT/s, dual-channel 64 GB: 2 x 32 GB, DDR5, 4800 MT/s, dual-channel
		<b>For computers shipped with Intel® Core™ i5 14600T and i7 processors:</b> 8 GB: 1 x 8 GB, DDR5, 5600 MT/s, single-channel 16 GB: 1 x 16 GB, DDR5, 5600 MT/s, single-channel 16 GB: 2 x 8 GB, DDR5, 5600 MT/s, dual-channel 32 GB: 1 x 32 GB, DDR5, 5600 MT/s, single-channel 32 GB: 2 x 16 GB, DDR5, 5600 MT/s, dual-channel 64 GB: 2 x 32 GB, DDR5, 5600 MT/s, dual-channel
		<b>For computers shipped with Intel® Core™ Ultra 5 and Ultra 7 processors:</b> 8 GB: 1 x 8 GB, DDR5, 6400 MT/s, single-channel 16 GB: 1 x 16 GB, DDR5, 6400 MT/s, single-channel 16 GB: 2 x 8 GB, DDR5, 6400 MT/s, dual-channel 32 GB: 1 x 32 GB, DDR5, 6400 MT/s, single-channel 32 GB: 2 x 16 GB, DDR5, 6400 MT/s, dual-channel 8 GB: 1 x 8 GB, DDR5, 5600 MT/s, single-channel 16 GB: 1 x 16 GB, DDR5, 5600 MT/s, single-channel 16 GB: 2 x 8 GB, DDR5, 5600 MT/s, dual-channel 32 GB: 1 x 32 GB, DDR5, 5600 MT/s, single-channel 32 GB: 2 x 16 GB, DDR5, 5600 MT/s, dual-channel 64 GB: 2 x 32 GB, DDR5, 5600 MT/s, dual-channel


**Not All Technical Specifications Available Per System Configuration.**

 Please search [Dell.com/support](https://www.dell.com/support) for product owner's manual or contact your Dell Technologies sales expert.

FEATURE		TECHNICAL SPECIFICATION	
<b>PRODUCT NAME</b>	<b>Pro Micro Plus</b>	<b>Pro Micro</b>	
<b>MODEL IDENTIFIER</b>	QBM1250	QCM1250	
<b>STORAGE<sup>1,5</sup></b>	<b>HDD:</b> None <b>SSD:</b> 512 GB SSD QLC M.2 2230 PCIe Gen4 256 GB SSD TLC M.2 2230 PCIe Gen4 512 GB SSD TLC M.2 2230 PCIe Gen4 1 TB SSD TLC M.2 2230 PCIe Gen4 512 GB SSD TLC w/DRAM M.2 2280 PCIe Gen4 SED Ready 1 TB SSD TLC w/DRAM M.2 2280 PCIe Gen4 SED Ready 2 TB SSD TLC w/DRAM M.2 2280 PCIe Gen4 SED Ready	<b>HDD:</b> None <b>SSD:</b> 512 GB SSD QLC M.2 2230 PCIe Gen4 1 TB SSD QLC M.2 2230 PCIe Gen4 256 GB SSD TLC M.2 2230 PCIe Gen4 512 GB SSD TLC M.2 2230 PCIe Gen4 1 TB SSD TLC M.2 2230 PCIe Gen4 512 GB SSD TLC w/DRAM M.2 2280 PCIe Gen4 SED Ready 1 TB SSD TLC w/DRAM M.2 2280 PCIe Gen4 SED Ready	
<b>WIRELESS</b>	Intel® Wi-Fi 7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth® wireless card Intel® Wi-Fi 6E AX211, 2x2, 802.11ax, MU-MIMO, Bluetooth® wireless card MediaTek Wi-Fi 6 MT7920, 2x2, 802.11ax, MU-MIMO, Bluetooth® wireless card	Intel® Wi-Fi 7 BE200, 2x2, 802.11be, MU-MIMO, Bluetooth® wireless card Intel® Wi-Fi 6E AX211, 2x2, 802.11ax, MU-MIMO, Bluetooth® wireless card MediaTek Wi-Fi 6 MT7920, 2x2, 802.11ax, MU-MIMO, Bluetooth® wireless card	
<b>AUDIO &amp; SPEAKERS<sup>1</sup></b>	Waves MaxxAudio® 14.0, Internal speakers	Waves MaxxAudio® 14.0, Internal speakers	
<b>STANDS</b>	Dell All-in-One VESA Mount for E-Series Monitors with Base Extender Dell Dual VESA Mount with Adapter Bracket Dell Micro All-in-One Stand MFS22 Dell Vertical Desktop Stand Dell Wall/Under-the-Desk VESA Mount with PSU Sleeve	Dell All-in-One VESA Mount for E-Series Monitors with Base Extender Dell Dual VESA Mount with Adapter Bracket Dell Micro All-in-One Stand MFS22 Dell Vertical Desktop Stand Dell Wall/Under-the-Desk VESA Mount with PSU Sleeve	
<b>POWER</b>	130 W AC adapter, 7.4mm barrel 180 W AC adapter, 7.4mm barrel	65 W AC adapter, 4.5mm barrel 90 W AC adapter, 4.5mm barrel	
<b>PORTS</b>	<b>Front:</b> 1 USB 3.2 Gen 2x2 (20 Gbps) Type-C® port 1 USB 3.2 Gen 2 (10 Gbps) port 1 USB 3.2 Gen 2 (10 Gbps) with PowerShare port 1 headset (headphone and microphone combo) port  <b>Rear:</b> 1 USB 3.2 Gen 2 (10 Gbps) Type-C® port 2 USB 3.2 Gen 2 (10 Gbps) ports 1 USB 3.2 Gen 1 (5 Gbps) port with SmartPower On 1 USB 3.2 Gen 1 (5 Gbps) port 3 DisplayPort™ 1.4a (HBR3 support) ports 1 RJ45 (10/100/1000 Mbps) Ethernet port 1 power-adapter port 1 optional module port (Thunderbolt 4 with DisplayPort™ 2.1 + USB 3.2 Gen 2 Type-C®/HDMI 2.1 FRL/DisplayPort™ 2.1 (UHBR20)/VGA/USB Type-C® with DisplayPort™ Alt Mode/2 USB 3.2 Gen 2/PS2 and Serial/Serial Module/5GbE Optical Fiber (Peer to Peer) <sup>11</sup> /5GbE LAN NIC)	<b>Front:</b> 1 USB 3.2 Gen 2 (10 Gbps) Type-C® port 1 USB 3.2 Gen 1 (5 Gbps) port 1 headset (headphone and microphone combo) port  <b>Rear:</b> 1 USB 3.2 Gen 1 (5 Gbps) port with SmartPower On 1 USB 3.2 Gen 1 (5 Gbps) port 2 USB 2.0 (480 Mbps) ports 1 DisplayPort™ 1.4a (HBR3 support) port for computers shipped with Intel® Core™ Ultra processors 1 DisplayPort™ 1.4a (HBR2 support) port for computers shipped with Intel® Core™ 300T, i3, i5 and i7 processors 1 HDMI 2.1 port 1 RJ45 (10/100/1000 Mbps) Ethernet port 1 power-adapter port 1 optional module port (HDMI 2.1 FRL/DisplayPort™ 2.1 (UHBR20)/VGA/USB Type-C® with DisplayPort™ Alt Mode/2 USB-A 3.2 Gen 2/PS2 and Serial/Serial Module/5GbE Optical Fiber (Peer to Peer) <sup>11</sup> ) for computers shipped with Intel® Core™ Ultra processors 1 optional module port (HDMI 2.1 TMDS/DisplayPort™ 1.4a (HBR3)/VGA/USB Type-C® with DisplayPort™ Alt Mode/2 USB-A 3.2 Gen 2/PS2 and Serial/Serial Module/5GbE Optical Fiber (Peer to Peer) <sup>11</sup> ) for computers shipped with Intel® Core™ 300T, i3, i5 and i7 processors	
<b>SLOTS</b>	1 M.2 2230 slot for Wi-Fi and Bluetooth combo card 2 M.2 2230/2280 Gen4 slots for solid-state drive	1 M.2 2230 slot for Wi-Fi and Bluetooth combo card 2 M.2 2230/2280 slots for solid-state drive	
<b>ADD IN CARDS</b>	Not Applicable	Not Applicable	
<b>OPTICAL DRIVE</b>	Not Applicable	Not Applicable	
<b>DIMENSIONS</b>	Height: 7.17 in. (182.00 mm) Width: 1.42 in. (36.00 mm) Depth: 7.01 in. (178.00 mm) Weight (minimum): 2.71 lbs (1.22 Kg) Weight (maximum): 3.15 lbs (1.43 Kg)	Height: 7.17 in. (182.00 mm) Width: 1.42 in. (36.00 mm) Depth: 7.01 in. (178.00 mm) Weight (minimum): 2.56 lbs (1.16 Kg) Weight (maximum): 3.09 lbs (1.40 Kg)	



**Not All Technical Specifications Available Per System Configuration.**

Please search [Dell.com/support](https://Dell.com/support) for product owner's manual or contact your Dell Technologies sales expert.

FEATURE		TECHNICAL SPECIFICATION
<b>PRODUCT NAME</b>	<b>Pro Micro Plus</b>	<b>Pro Micro</b>
<b>MODEL IDENTIFIER</b>	QBM1250	QCM1250
<b>PRODUCTIVITY SOFTWARE<sup>1</sup></b>	Adobe Acrobat Adobe AI Assistant Adobe Express Premium Adobe Photoshop Elements 2023 & Premier Elements 2023 Bundle CyberLink Media Suite Essentials CyberLink® Director Suite CyberLink® PhotoDirector® CyberLink® PowerDirector® Dell Command   Configure (DCC) Dell Command   Endpoint Configure for Microsoft Intune Dell Command   Integration Suite (DCIS) Dell Command   Intel vPro (DCIV) Dell Command   Monitor (DCM) Dell Command   Powershell Provider (DCPP) Dell Command   Update (DCU) Dell Optimizer (UUE) Foxit PDF Editor Microsoft Office 2021 MS Office Home Business Non-Premium (Japan) MS Office Personal Non-Premium (Japan) MS Office Pro Non-Premium (Japan) SupportAssist	Adobe Acrobat Adobe AI Assistant Adobe Express Premium Adobe Photoshop Elements 2023 & Premier Elements 2023 Bundle CyberLink Media Suite Essentials CyberLink® Director Suite CyberLink® PhotoDirector® CyberLink® PowerDirector® Dell Command   Configure (DCC) Dell Command   Endpoint Configure for Microsoft Intune Dell Command   Integration Suite (DCIS) Dell Command   Intel vPro (DCIV) Dell Command   Monitor (DCM) Dell Command   Powershell Provider (DCPP) Dell Command   Update (DCU) Dell Optimizer (UUE) Foxit PDF Editor Microsoft Office 2021 MS Office Home Business Non-Premium (Japan) MS Office Personal Non-Premium (Japan) MS Office Pro Non-Premium (Japan) SupportAssist
<b>CONFIGURATION SERVICES</b>	Factory image load BIOS customization Hardware customization Asset Tagging and Reporting	Factory image load BIOS customization Hardware customization Asset Tagging and Reporting
<b>WARRANTY<sup>8,9</sup></b>	3-year Basic Warranty with Hardware Onsite Service after Remote Diagnosis 4-year Basic Warranty Extension 5-year Basic Warranty Extension	1-year Basic Warranty with Hardware Onsite Service after Remote Diagnosis 2-year Basic Warranty Extension 3-year Basic Warranty Extension 4-year Basic Warranty Extension 5-year Basic Warranty Extension
<b>SECURITY SOFTWARE</b>	BIOS Guard (Core CPUs only) Boot Guard Data Guard (vPro only) Dell Data Protection - Endpoint Security Suite (DDPIESS) Dell Data Protection - Endpoint Security Suite Enterprise (DDPIESS-E) Dell Data Protection - SW Encryption (DDPE) Dell SafeGuard and Response CrowdStrike, VMware Carbon Black, Secureworks Dell Trusted Device Intel Device Protection with Platform Trust Intel Guard Technologies and Secure Key Intel Runtime BIOS Resilience (Copper Point) with attestation using Nifty Rock + Intel TXT McAfee Business Protection Memory Encryption Microsoft 10 Device Guard & Credential Guard (Enterprise SKU) Microsoft Windows BitLocker OS Guard (Core CPUs only) Secure Key (i5 or greater only) Software Guard (SGX) Support of Absolute Persistent Module BIOS agent v2	BIOS Guard (Core CPUs only) Boot Guard Data Guard (vPro only) Dell Data Protection - Endpoint Security Suite (DDPIESS) Dell Data Protection - Endpoint Security Suite Enterprise (DDPIESS-E) Dell Data Protection - SW Encryption (DDPE) Dell SafeGuard and Response CrowdStrike, VMware Carbon Black, Secureworks Dell Trusted Device Intel Device Protection with Platform Trust Intel Guard Technologies and Secure Key Intel Runtime BIOS Resilience (Copper Point) with attestation using Nifty Rock + Intel TXT McAfee Business Protection Memory Encryption Microsoft 10 Device Guard & Credential Guard (Enterprise SKU) Microsoft Windows BitLocker OS Guard (Core CPUs only) Secure Key (i5 or greater only) Software Guard (SGX) Support of Absolute Persistent Module BIOS agent v2
<b>SERVICES TERMS<sup>8,9</sup></b>	3-year ProSupport with Next Business Day Onsite Service 4-year ProSupport with Next Business Day Onsite Service 5-year ProSupport with Next Business Day Onsite Service 3-year ProSupport Plus for Client with Next Business Day Onsite service 4-year ProSupport Plus for Client with Next Business Day Onsite service 5-year ProSupport Plus for Client with Next Business Day Onsite service	1-year ProSupport with Next Business Day Onsite Service 2-year ProSupport with Next Business Day Onsite Service 3-year ProSupport with Next Business Day Onsite Service 4-year ProSupport with Next Business Day Onsite Service 5-year ProSupport with Next Business Day Onsite Service 1-year ProSupport Plus for Client with Next Business Day Onsite service 2-year ProSupport Plus for Client with Next Business Day Onsite service 3-year ProSupport Plus for Client with Next Business Day Onsite service 4-year ProSupport Plus for Client with Next Business Day Onsite service 5-year ProSupport Plus for Client with Next Business Day Onsite service
<b>ACCIDENTAL DAMAGE SERVICES</b>	1-year Accidental Damage Service 2-year Accidental Damage Service 3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service	1-year Accidental Damage Service 2-year Accidental Damage Service 3-year Accidental Damage Service 4-year Accidental Damage Service 5-year Accidental Damage Service

**Product Disclaimers:****Page 1 (Product Wheel)**

1. Based on IDC Worldwide Quarterly Personal Computing Device Tracker, Nov 6, 2024 – Units
2. Versus the previous generation. Based on Dell internal testing, January 2025.
3. Dell is the world's #1 monitor company. Source: IDC Worldwide Quarterly PC Monitor Tracker, Q3 2024.
4. Peer-to-peer transmission up to 5Gbps. Network speeds depends on transceiver, cable, switch.
5. Dell Pro Micro and Pro Micro Plus are designed with up to 50% recycled steel. Percentage applies to total steel weight in the chassis. Includes Pro Micro, Pro Micro Plus, Pro Slim, Pro Slim Plus and Pro Tower. Based on Dell internal analysis, January 2025.
6. Based on internal analysis, January 2025. Percentage is based on system plastic weight. Post-consumer recycled plastic: 45%, Closed-Loop ITE derived plastic: 14% recycled ocean-bound plastic applies to the fan-housing.
7. Pro Micro and Micro Plus ships with at least 97% recycled or renewable packaging, in the form of sustainably forested fibers. Percentages may vary slightly by region. Excludes optional items added to order and included in box.
8. Based on internal analysis, January 2025.
9. Pro Micro and Micro Plus are certified ENERGY STAR® 8.0, and are EPEAT Gold registered with Climate+ designation. Pro Micro Plus carries TCO Generation 10 certification. Based on internal analysis, January 2025. Based on EPEAT Climate+ Designations achieved in all applicable countries. EPEAT registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status and tier levels. See Owner's manual for eco-label conditions.
10. Based on Dell Analysis, April 2024.
11. Most secure is based on Dell internal analysis, October 2024. Applicable to PCs on Intel processors. Not all features available with all PCs. Additional purchase required for some features. Validated by Principled Technologies. A comparison of security features, April 2024. Most-manageable commercial PCs when comparing the systems management capabilities of Dell Update Processes, Dell Manageability Solution capabilities and integrations with 3rd Party Management Solutions, with competitor update processes, systems management solution capabilities and integrations with 3rd party management solutions. 3rd Party Management Solution - Microsoft Intune, is a separate purchase. Based on Dell internal analysis, January 2025.

**Technotes:**

1. Offering may vary by region. Some items may be available after product introduction. For complete details, refer to the Owner's Manual published on [www.dell.com/support](http://www.dell.com/support).
2. System Memory and Graphics: Significant system memory may be used to support graphics, depending on system memory size and other factors.
3. GB or Greater System Memory Capability: A 64-bit operating system is required to support 4GB or more of system memory.
4. Storage Option: GB means 1 billion bytes and TB equals 1 trillion bytes; actual capacity varies with preloaded material and operating environment and will be less.
5. TPM is available in selected regions.
6. Please refer to [www.epeat.net](http://www.epeat.net) for specific country registration rating and participation.
7. Limited Hardware Warranty: For copy of Ltd Hardware Warranty, write Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see [www.dell.com/warranty](http://www.dell.com/warranty).
8. Onsite service after Remote Diagnosis: Remote Diagnosis is determination by online/phone technician of cause of issue; may involve customer access to inside of system and multiple or extended sessions. If issue is covered by Limited Hardware Warranty ([www.dell.com/warranty](http://www.dell.com/warranty)) and not resolved remotely, technician and/or part will be dispatched, usually within 1 business day following completion of Remote Diagnosis. Availability varies. Other conditions apply.
9. Dell Services: Availability and terms of Dell Services vary by region. For more information, visit [www.dell.com/servicedescriptions](http://www.dell.com/servicedescriptions).
10. For complete listing of declarations and certifications, refer to the Dell Regulatory and Environmental Datasheet found in the Manuals section of Product Support information [www.dell.com/support/home/19](http://www.dell.com/support/home/19).
11. Peer-to-peer transmission up to 5Gbps. Network speeds depends on transceiver, cable, switch.